Acute illness in care homes: A 'Marmite'™ topic

Robert Barker



NIHR Applied Research Collaboration North East and North Cumbria

Practice Fellow



GP, Corbridge Medical Group



Acute illness in care homes:

exploring optimal approaches to identification &

management





Care home

Acute illness (or acute deterioration)





Care home





Primary care



Care home



Ambulance





Primary care



'TRACK'



National Early Warning Score

& **'TRIGGER'**

3-4	Single Observation	Repeat observations within 30 minutes. If observations = NEWS +3 or more, seek urgent GP telephone or face to face review within 2 hours. If NEWS is worsening, move to appropriate escalation point.	At least every 30 minutes
E	6	Immediate clinical review/advice required. Refer to GP using surgery bypass number or use NHS 111 to contact out of hours. Uncert transfer to benefital within 1 hours much a consider	Frank dE minutes



Strong policy drivers

- National Patient Safety Improvement Programmes
- 'Support an increase in the spread and adoption of deterioration management tools (e.g. NEWS2, RESTORE2) in at least 80% of all appropriate non-acute settings across health/social care by March 2024.'

NEWS in care homes: evidence base

Distribution of the National Early Warning Score (NEWS) in care home residents

Robert Oliver Barker¹, Rachel Stocker¹, Siân Russell¹, Anthony Roberts², Andrew Kingston¹, Joy Adamson¹, Barbara Hanratty¹

Age and Ageing

British Geriatrics Society Improving healthcare for older people

- The majority of NEWS measurements not elevated
- Care home staff concern about a resident was associated with higher NEWS
- Is NEWS triggering the most appropriate response and improving outcomes?

ELSEVIER	JAMDA journal homepage: www.jamda.com		The Journal of Post-Acute and Long-Term Care Medicine			
Original Study - Brief Report						
	rly Warning Scores Following Emergency Hospital plications for Care Home Residents	() Check for updates				
Barbara Hanrat Adam L. Gordon	er MBBS, MPH ^{a,b,*} , Catherine Atkin MBChB, MD ^c , ty MBChB, MD ^{a,b} , Andrew Kingston PhD ^a , Tim Cooksley MBChB, FRCP ^d , n PhD MBChB ^{e,f} , Mark Holland MBBS, MEd ^g , Thomas Knight MBBS ^{c,h} , obe DM, FRCP ^{i,j} , Daniel S. Lasserson MD, FRCP ^{k,1}					

 Higher NEWS2 on admission associated with an increased risk of hospitalisation up to 7 days duration, prolonged admission, and mortality

• NEWS2 may have a role as an adjunct to acute care decision making for hospitalised residents.

Research



British Journal of General Practice

Siân Russell, Rachel Stocker, Robert Oliver Barker, Jennifer Liddle, Joy Adamson and Barbara Hanratty

Implementation of the National Early Warning Score in UK care homes:

a qualitative evaluation

Care home staff acknowledged that NEWS could enhance the

response to acute illness

- Improved communication with the NHS
- Increased confidence of care home staff

'It does give you the backup when you're ringing for professional help ... they, kind of, listen a bit more.' (deputy manager)

Research



British Journal of General Practice

Siân Russell, Rachel Stocker, Robert Oliver Barker, Jennifer Liddle, Joy Adamson and Barbara Hanratty

Implementation of the National Early Warning Score in UK care homes:

a qualitative evaluation

- Only one third of care homes used regularly
- Implementation did not account for the complexity of intervention or setting
- Implementation challenges competing priorities, insufficient training, and shortcomings in communication

'I cover nine homes and I could probably straightaway think [specific care homes] are doing well with it ... But, that's the minority. The rest are either struggling or paying lip service ... sometimes I think "would I even want them to be worrying about the NEWS scores, would I actually want them to be worrying about more basic: have they given them a drink...?"

(specialist nurse)

Open access

Original research

BMJ Open Experiences of a National Early Warning Score (NEWS) intervention in care homes during the COVID-19 pandemic: a qualitative interview study

> Rachel Stocker ^(D), ¹ Siân Russell, ¹ Jennifer Liddle ^(D), ^{1,2} Robert O Barker, ¹ Adam Remmer, ³ Joanne Gray, ⁴ Barbara Hanratty ^(D), ^{1,2} Joy Adamson⁵

- Facilitated remote triage and decision-making
- Care home staff felt empowerment, common clinical language
- Adjunct to staff intuition of resident deterioration

'We've found in a couple of our residents, [...] they had no temperature, and no breathing difficulty, but I couldn't understand and when we checked their NEWS score we found oxygen saturation was low. So it helps us in the early diagnosis and to do appropriate support for the residents.'


(care home manager)

Concerns

- Opportunity cost
- Medicalisation of (care) home, potential to compromise the palliative ethos in care homes
- Burden placed on care home staff to make 'medical decisions'
- False alarms > unnecessary ED attendance
- Inequity of uptake may widen quality gaps

Implementation challenges

Implementation challenges: unique contexts



Implementation challenges: complex interfaces



Implementation challenges: evidence gap



NEWS

Implementation science

Implementation challenges: care home involvement

Meaningful involvement of care homes and residents Co-production & PPIE




NEWS: my view

- Support carer intuition with vital sign measurement
- NEWS measurement tailored to individual circumstance
- 'A smaller piece of the decision-making jigsaw'



Acute illness in care homes: developing a complex intervention to enhance identification and management



NIHR Applied Research Collaboration North East and North Cumbria





robert.barker@newcastle.ac.uk



Images used with permission where necessary